

From: Deirdre Stallworth/R3/USEPA/US
Sent: 1/26/2012 12:31:24 PM
To: John Robb/R3/USEPA/US@EPA
CC: Andrew Blaney/R3/USEPA/US@EPA
Subject: Fw: START Requirements for Dimock Site

John, You weren't on this distribution. Did you see this separately?

Andy, John said you had some other info about Weston and COI. Can we talk?

Tx, Deirdre

----- Forwarded by Deirdre Stallworth/R3/USEPA/US on 01/26/2012 02:45 PM -----

From: Deirdre Stallworth/R3/USEPA/US
To: Bonnie Gross/R3/USEPA/US@EPA
Date: 01/26/2012 12:32 PM
Subject: Re: Fw: START Requirements for Dimock Site

Hi, I just forwarded this to John and Andy. Not sure if John got the notice separately. They aren't at their desks so are probably at lunch. I'll be back in touch as soon as I hear something.
Deirdre

----- Forwarded by Deirdre Stallworth/R3/USEPA/US on 01/26/2012 12:27 PM -----

From: Bonnie Gross/R3/USEPA/US
To: Deirdre Stallworth/R3/USEPA/US
Date: 01/26/2012 11:20 AM
Subject: Fw: START Requirements for Dimock Site

Deirdre,

Below is the immediate need for START at Dimock. I'm sure Karen Esposito will be working with the COs and contractor on this need. I'd appreciate your support and assistance as needed
If you'd like to meet, let me know.

Thanks, Bonnie

From: Richard Rupert
Sent: 01/26/2012 11:08 AM EST
To: Karen Esposito
Cc: heston.gerald@epa.gov; Ann DiDonato; Richard Fetzer; Dennis Carney; bonnie.gross@epa.gov
Subject: START Requirements for Dimock Site

Karen this email is from Fetzer and outlines Fetzer's 0930 message.

Please find the attached document that outlines our immediate START needs. Please read and call Fetzner soonest.

thanks
Rupert

Richard Rupert
On-Scene Coordinator
U.S.EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514 8773 - MOBILE
rupert.richard@epa.gov